



Jato 3.3 Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically. Call: Check www.Traxxas.com to download latest parts list and pricing

Model 5509 REV 060522

Air Filters

5265	Air filter housing/ foam insert/ Jato air filter base (long, straight)/ cable tie (1-each) (TRX 2.5, 2.5R, 3.3).....	12.00
5261	Air filter inserts, foam (3) (pre-oiled) (TRX 2.5, 2.5R, 3.3)	6.25
5263	Oil, air filter	4.99

Bearings & Bushings

4609	Ball bearings (5x10x4mm) (2) (metal shielded, for clutch bell)	8.00
4611	Ball bearings (5x11x4mm) (2) (metal shielded, for clutch bell)	6.00
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	7.00
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3.50
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	4.00
5124	Ball bearings, blue rubber shield (4x7x2.5mm) (2).....	4.00
5123	Bellcrank bushings (plastic) (4x7x2.5mm) (4).....	2.50
2545	Bushings (plastic) (5x8x2.5mm) (4)	3.00

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool	2.00
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool.....	4.00
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1).....	1.00
3935	Body clip (mounting clip), angled, 90-degrees (10)	3.00
1834	Body clips (12) (standard size).....	2.00
5514	Body mount, front	3.50
5511	Body, Jato (clear, requires painting)/window, lights decal sheet/ wing and aluminum hardware	25.00
5511X	Body, Jato, ProGraphix (replacement for painted body. Graphics are painted- requires paint and final color application)/window, grill, lights decal sheet/ wing and aluminum hardware	34.99
5511R	Body, Jato 3.3, ProGraphix (replacement for the painted body). Graphics are painted, requires paint & final color application.....	34.99
5513X	Decal sheet, Jato 3.3	11.00
2514	Decal sheet, racing sponsors	3.00
9950	Official Team Traxxas racing decal set(flag logo/ 6-color).....	4.50
5512	Wing mounting hardware, (4x8mmCCS (aluminum)(3)/ 4x7mm flanged NL (3))	3.00

Brake Components

5588	Brake cam.....	3.50
5567	Brake cam lever/ linkage rod/ bellcrank/ 4mm Ball Screw (1)/ 4mm Ball Cup (1)/ 3.0NL (1)/ 3X10 SS (1).....	4.25
5564	Brake disc (semi-metallic material).....	4.00
5565	Brake pads (2)/ brake disc hub/ 3X15 CS (partially threaded) (2)/ 2mm pin (1)/ 4mm e-clip (1)	7.00
5566	Input shaft (slipper shaft) slipper shaft spacer.....	6.00
5568	Linkage set, throttle & brake (Jato) (includes servo horn, rod guides, brake spring, brake adjustment dial, rods (wires), throttle return spring, hardware) ..	9.00

Bumpers & Skidplates

5515X	Battery Box, bumper (rear) (includes battery case with bosses for wheelie bar, cover, and foam pad)	7.50
5535	Bumper, front	4.50
5520	Bumper, rear (for use with mid-mounted RX battery).....	4.00
5584	Wheelie bar/ rear skid (assembled) (fits Jato, requires 5515X for installation) ..	10.00
4976	Wheels (4)/ Axles (2), for wheelie bar	4.00

Chassis & Attachments

5515	Battery Box, bumper (rear) (includes battery case, cover, and foam pad) ..	7.50
3039	Battery holder, 4-cell (no on/off switch) (for Jato and others that use a male Futaba style connector)	4.00
5530	Bulkheads, front (upper & lower)	10.00
5520	Bumper, rear (for use with mid-mounted RX battery).....	4.00
5523	Chassis top plate	10.00
5522	Chassis, 6061 T6 aluminum (3mm) (anodized blue)/ adhesive foam pad (1).....	35.00
5522X	Chassis, 7075-T6 aluminum (3mm) (titanium-anodized) (machined, lighter than stock)/ adhesive foam pad (1)	49.95
5592	Clutch guard	2.00
5527	Dirt guards, chassis (left & right)	8.00
5560	Engine mount/ engine mount spacers (2)/ 3x15 CS with washers (4)/ 4x18 BCS (2)/ flathead engine mount screws 3x10 (2)	12.00
5581	Gaskets, differential/transmission	1.50
5559	Mounts, suspension pin (rear anti-squat blocks) (1.5, 2.25, 3.0 & 3.75 degree) (1 each)	3.50
5524	Receiver box cover (for chassis top plate)/ battery cover (mid chassis) ..	5.00
5516	Roll Hoop/ EZ-Start plug mount	6.50
5583	Rubber plugs, charge jack, 2-speed adjustment (Jato)	1.50
5519	Servo mounts, steering (left & right)	2.25
3038	Wiring harness, on-board radio system (includes on/off switch and charge jack) (Jato)	6.00

Clutch & Related Parts

4609	Ball bearings (5x10x4mm) (2)	8.00
4611	Ball bearings (5x11x4mm) (2)	6.00
4118	Clutch bell, (18-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4609 - ball bearings, 5x10x4mm (2))	12.00

Clutch & Related Parts, continued:

4120	Clutch bell, (20-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2))	12.00
4122	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2)).....	12.00
4124	Clutch bell, (24-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2))	12.00
4146X	Clutch shoes (2)/ spring	7.75
3281	Cone, split beveled	3.00
1633	E-clips/ C-rings	2.00
4142	Flywheel	7.50
5244	Flywheel nut (TRX 2.5, 2.5R, 3.3)	4.25
4142R	Flywheel, 30mm steel (w/pins) (TRX 2.5, 2.5R, 3.3) (use with lower engine position and starter box on Jato)	7.50
1985	Teflon® washers, 5x8x0.5mm (20) (use with ball bearings)	2.00

Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	7.00
5580	Cover, differential	2.50
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights).....	21.00
5581	Gaskets, differential/transmission	1.50
5582	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft) ..	12.00
5579	Gears, differential 38-T (1)/ differential drive gear 20-T/ side cover plate (1)/ gasket (1)/ output gear seals (x-ring) (2)/ 2.5x8mmCCS (4)/ 5x10x.5mmTW (2)	10.00
5130	Oil, differential (100K weight) (.7 oz (20cc)).....	8.00
5135	Oil, differential (10K weight)	7.50
5137	Oil, differential (50K weight)	7.50
2524	Screws, 2.5x8 countersunk machine (hex drive) (6).....	2.50
2577	Screws, 3x10mm button-head machine (hex drive) (6)	2.50

Driveline Components

5555	Carriers, stub axle (rear) (left & right).....	3.50
5555X	Carriers, stub axle, (rear) 6061-T6 aluminum (titanium-anodized)	40.00
5528	Differential output yokes (2)/yoke pins M3/12.5 (2)	4.00
5125	Drive cups, inner (2) (for steel constant velocity driveshafts)/ differential spider gears (2)/ gaskets, hardware	15.00
5551	Driveshaft assembly (1), left or right (fully assembled, ready to install)/ M3/12.5mm yoke pin (1).....	11.00
5126	Driveshaft, steel constant velocity (shaft only)/ drive cup pin (1)	9.50
5551X	Driveshafts, Jato (steel constant velocity) (lubed with inner and outer dust boots) (1 pair)	50.00
5550	Half shaft set, left or right (internal splined half shaft/ external splined half shaft/ rubber boot/ metal U-joints) (assembled with glued boot) (2 assemblies)	8.00
2754	Stub axle pins (4)	1.00
5127	Stub axle, (1) (for steel constant velocity driveshaft)	6.00
5553	Stub axles, (rear) (2)	6.00
1654	Wheel hubs, hex (2)/ stub axle pins (2)	2.00

Engine & Servo Mounts

5560	Engine mount/ engine mount spacers (2)/ 3x15 CS with washers (4)/ 4x18 BCS (2)/ flathead engine mount screws 3x10 (2).....	12.00
4859	Flathead engine mount screws 3x10, hex head, machine	1.75
2547	Screws, 4x18mm countersunk machine (hex drive) (6)	2.50
5519	Servo mounts, steering (left & right)	2.25

Engine Components

5238R	Cooling head, PowerTune (machined aluminum, blue-anodized) (TRX 3.3), head protector (1), 3x6mm CCS (5)	45.00
5270R	EZ-Start 2, complete system with controller, drive unit, wiring harness ..	50.00
3980	Glow plug wrench (universal wrench)	2.00
3231	Glow plug, heavy-duty (long-medium)	4.50
3232	Glow plug, super-duty (long medium).....	4.50
5228	Head protector, cooling head (1)/3x6mm CCS (5) (TRX 3.3)	3.00
5290	Piston/Sleeve (Matched Set), Wrist Pin Clips(2) (TRX 3.3)	80.00
5211R	Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3)	22.50
5277	Shaft, starter (TRX 2.5, 2.5R, 3.3)	9.00
5170	Starter, recoil (complete with screws) (TRX 2.5, 2.5R, 3.3)	20.00
4091	Temp gauge, blue (On-board engine tuning aid, digital LCD readout, new style with max. temp. memory)	24.99

Exhaust

5546	Hanger, metal (for tuned pipe)/ 4x8 BCS (1)/ 3x10 BCS (1)	2.00
5540	Header, exhaust (Jato) (tubular aluminum, clear-anodized) (TRX 2.5, 2.5R, 3.3)	20.00
5256	O-ring, header 12.2x1mm (TRX 2.5, 2.5R, 3.3)	1.20
5245X	Pipe coupler, molded (black)/ exhaust deflector (rubber, black)/ cable ties, long (2)/ cable ties, short (2)	4.00
5245	Pipe coupler, molded (blue)/ exhaust deflector (rubber, blue)/ cable ties, long (2)/ cable ties, short (2)	4.00
5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)	2.75
5485	Tuned pipe, Resonator, R.O.A.R. legal (dual-chamber, enhances mid to high-rpm power) (for Jato, N. Rustler, N. 4-Tec with TRX Racing Engines)	55.00

Page 2 Jato Parts List

Exhaust, continued:

5483	Tuned pipe, Resonator, R.O.A.R. legal (single-chamber, enhances low to mid-rpm power) (for Jato, N. Rustler, N. 4-Tec with TRX Racing Engines)	50.00
5541X	Tuned pipe, Resonator, R.O.A.R. legal, blue-anodized (single-chamber, enhances low to mid-rpm engine power) (fits Jato, Jato 3.3, N. Rustler, N. 4-Tec, N.4-Tec 3.3, with TRX Racing Engines)	45.00

EZ-Start & Related Parts

5280	Control box (complete) (EZ-Start 2)	15.00
5281	Control box battery cover w/ belt clip (EZ-Start 2)	4.00
5273	Cush-drive elements (4) (EZ-Start 2)	2.50
4583	EZ-Start 2 wiring harness (for Jato)	5.00
5270R	EZ-Start 2, complete system with controller, drive unit, wiring harness	50.00
5276	Gear set (complete) (EZ-Start 2)	9.00
5148	Grease, white lithium	3.00
5275	Housing set (inner, outer)/ 3x12mmBCS (5)/ 3x20BCS (1)/ motor bushing (EZ-Start 2)	7.50
4581X	Lead wire, glow plug (blue) (EZ-Start and EZ-Start 2)/ molex pin extractor (use where glow plug wire does not have bullet connector)	1.75
5279	Motor/ pinion gear/ motor bushing (EZ-Start 2)	15.00
5211R	Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3)	22.50
5169	Screws, 2.6x8mm countersunk machine (6)	2.00
5282	Screws, 3x12mm button-head machine (6) (starter attachment screws with threadlock)	3.00
2578	Screws, 3x12mm button-head machine (hex drive) (6)	2.50
5277	Shaft, starter (TRX 2.5, 2.5R, 3.3)	9.00

Front Suspension

5530	Bulkheads, front (upper & lower)	10.00
5536	Caster blocks, 25-degree (left & right)/ steering blocks, 25-degree (left & right)	6.00
5536X	Caster blocks, 25-degree, titanium-anodized 6061-T6 aluminum (left & right)	38.00
5532	Caster blocks, 30-degree (left & right)/ steering blocks, 30-degree (left & right)	6.00
5532X	Caster blocks, 30-degree, titanium-anodized 6061-T6 aluminum (left & right)	38.00
5525	Rod ends (12)/ hollow balls (12) (fits Jato, includes 4 hollow balls for inner camber link)	9.00
5529	Shim set (for adjusting Jato roll center)/ hollow balls (for inner camber links) (4)	3.50
5518	Shock tower, front	5.00
5536R	Steering blocks, titanium-anodized 6061-T6 aluminum (left & right) (For use with 25 and 30-degree caster blocks)	28.00
5531	Suspension arms, front (left & right)	10.00
5554	Suspension down stop screws (includes 2.5mm drill bit) (limits suspension droop, sets maximum ride height)	4.50
5521	Suspension pin set, complete (hardened steel, front & rear), 3x27mm (4), 3x35mm (2), 3x52mm (4)	8.00
5589X	Sway bar kit (front and rear) (includes sway bars and linkage)	19.50
5596	Sway bars (front) (includes Soft, Medium, Hard)	7.00
5558	Tie bars (front & rear)	5.00
5537	Wheel spindles, front (left & right) (2)	8.00
5537X	Wheel spindles, front, 7075-T6 aluminum, blue-anodized (left & right)	11.00

Fuel Tank & Line

3935	Body clip (mounting clip), angled, 90-degrees (10)	3.00
3147X	Fuel line (610mm or 2ft)	3.50
5548	Fuel tank (75cc, complete)	16.00
3149	Heat shield tubing, fiberglass (2) (Yellow)	1.50
5547	Pull ring (1)/ fuel tank cap (1)/ engine shut-off clamp (1)/ 3x10 BCS (1)	3.00
5549	Rebuild kit, fuel tank (includes: o-ring, grommets (2), cap spring, hardware)	4.00

Fuel, Lubricants & Supplies

5001	Bottle, fuel filler (500cc)	8.00
3231	Glow plug, heavy-duty (long-medium)	4.50
3232	Glow plug, super-duty (long medium)	4.50
5148	Grease, white lithium	3.00
5263	Oil, air filter	4.99
5130	Oil, differential (100K weight) (.7 oz (20cc))	8.00
5135	Oil, differential (10K weight)	7.50
5136	Oil, differential (30K weight)	7.50
5137	Oil, differential (50K weight)	7.50
1666	Silicone shock oil (30 wt)	2.00
5010	Top Fuel, 10% nitro (quart)	10.25
5020	Top Fuel, 20% nitro (quart)	11.99
5030	Top Fuel, 33% nitro (quart)	13.99

Hardware

5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool	4.00
1747X	Blue-anodized, aluminum flanged lock nuts (4mm)	5.00
3935	Body clip (mounting clip), angled, 90-degrees (10)	3.00
1834	Body clips (12) (standard size)	2.00
1633	E-clips/ C-rings	2.00
5477	Flat wrench, 5mm (blue-anodized aluminum)	4.00
5478	Flat wrench, 8mm (blue-anodized aluminum)	4.00
4859	Flathead engine mount screws 3x10, hex head, machine	1.75
3980	Glow plug wrench (universal wrench)	2.00
5476	Hex wrenches; 1.5mm, 2mm, 2.5mm, 2.5 ball	6.00
5475	Multi-tool (plastic)	2.50
5158	Nuts, 2.5mm nylon locking (12)	2.50
2745	Nuts, 3mm nylon locking (12)	2.00
1747	Nuts, 4mm nylon locking (10)	2.00
4147X	Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)	6.00
4147	Nuts, 5mm nylon locking (8)	2.00
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)	2.50
2524	Screws, 2.5x8 countersunk machine (hex drive) (6)	2.50

Hardware, continued:

5169	Screws, 2.6x8mm countersunk machine (6)	2.00
2674	Screws, 2x6mm roundhead self-tapping (6)	1.50
2577	Screws, 3x10mm button-head machine (hex drive) (6)	2.50
5282	Screws, 3x12mm button-head machine (6) (starter attachment screws with threadlock)	3.00
2578	Screws, 3x12mm button-head machine (hex drive) (6)	2.50
2579	Screws, 3x15mm button-head machine (hex drive) (6)	2.50
5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)	2.75
2553	Screws, 3x15mm countersunk machine (6) (hex drive)	2.50
2583	Screws, 3x18 button-head machine (hex drive) (6)	2.50
2580	Screws, 3x20mm button-head machine (hex drive) (6)	2.50
2575	Screws, 3x6mm button-head machine (hex drive) (6)	2.50
2554	Screws, 3x6mm cap-head machine (hex drive) (6)	2.50
2550	Screws, 3x8mm countersunk machine (6) (hex drive)	2.50
2535	Screws, 4x10mm countersunk machine (hex drive) (6)	2.50
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	2.50
3937	Screws, 4x12mm button-head machine (hex drive) (6)	2.50
2547	Screws, 4x18mm countersunk machine (hex drive) (6)	2.50
3940	Screws, 4x4 button-head machine, aluminum (blue) (hex drive) (6)	3.50
4897	Screws, set (grub) 4mm (6) (with threadlock)	3.00
3967	Shoulder screws 3x10 (6) (without threadlock)	3.50
5149	Spacers, steel (Jato Twin-Spoke wheels, front) (4)	2.75
5534	Spacers, stub axle carrier (rear)	2.50
5512	Wing mounting hardware, (4x8mmCCS (aluminum)(3)/ 4x7mm flanged NL (3))	3.00

Manuals

5299R	Engine Manual, TRX 2.5, 2.5R, 3.3	7.50
5598	Operating Instructions, Jato 3.3	9.00

Radio System, Batteries, Charger

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	1.00
3039	Battery holder, 4-cell (no on/off switch) (for Jato and others that use a male Futaba style connector)	4.00
3036	Battery, RX Power Pack (5-cell flat style, GP cells, NiMH, 1100mAh)	30.00
2734	Cable ties (small) (10)	2.00
2010	Gear set (for 2018 servos)	4.00
3031	Power adapter, AC (for RX Power Charger) (switching type, auto power input selection 100-240VAC 50-60 HZ)	19.00
3032	Power adapter, DC (12V car adapter for RX Power Charger)	7.50
2215	Receiver, 3-channel	30.00
2052	Servo case (for 2055 servo)	3.00
2053	Servo gears (for 2055 servo)	4.00
2055	Servo, high-torque	28.00
2018	Servo, standard	24.00
2222	Transmitter, TQ (2-channel) (Transmitter only)	60.00
3030X	TRX Power Charger, peak detecting/ AC adapter (for charging NiCd or NiMH 5 cell receiver packs and 6-cell (7.2V) EZ-Start packs) (includes plug adapter for 7.2V packs)	40.00
3038	Wiring harness, on-board radio system (includes on/off switch and charge jack) (Jato)	6.00
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	2.50

Rear Suspension

5555	Carriers, stub axle (rear) (left & right)	3.50
5555X	Carriers, stub axle, (rear) 6061-T6 aluminum (titanium-anodized)	40.00
5559	Mounts, suspension pin (rear anti-squat blocks) (1.5, 2.25, 3.0 & 3.75 degree) (1 each)	3.50
5525	Rod ends (12)/ hollow balls (12) (fits Jato, includes 4 hollow balls for inner camber link)	9.00
5529	Shim set (for adjusting Jato roll center)/ hollow balls (for inner camber links) (4)	3.50
5517	Shock tower, rear	5.00
5534	Spacers, stub axle carrier (rear)	2.50
5553	Stub axles, (rear) (2)	6.00
5533	Suspension arms, rear (left & right)	10.00
5554	Suspension down stop screws (includes 2.5mm drill bit) (limits suspension droop, sets maximum ride height)	4.50
5521	Suspension pin set, complete (hardened steel, front & rear), 3x27mm (4), 3x35mm (2), 3x52mm (4)	8.00
5589X	Sway bar kit (front and rear) (includes sway bars and linkage)	19.50
5597	Sway bars (rear) (includes Soft, Medium, Hard)	7.00
5558	Tie bars (front & rear)	5.00
5557	Tie bars (rear) (3 & 5-degree toe adjustment)	5.00

Recoil Starter

5277	Shaft, starter (TRX 2.5, 2.5R, 3.3)	9.00
5170	Starter, recoil (complete with screws) (TRX 2.5, 2.5R, 3.3)	20.00

Shocks (GTR)

5466	Body, GTR shock (aluminum) (1)	8.00
5466X	Body, GTR shock (hard-anodized, Teflon®-coated aluminum) (1)	10.00
5467	Body, GTR shock (molded composite) (2)	5.00
5465	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))	5.00
5464	Dust boot, shock (expandable, seals and protects shock shaft) (1 pair)	3.00
5475	Multi-tool (plastic)	2.50
5158	Nuts, 2.5mm nylon locking (12)	2.50
5562	Rebuild kit, GTR composite shocks (x-rings, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks	5.00
5468	Rod ends (GTR composite shocks) (6)	2.00
5463	Shaft, GTR shock (2) (stainless)	6.00
5463T	Shaft, GTR shock TiN-coated (2)	10.00
5460	Shocks, GTR aluminum (assembled) (2) (without springs)	32.00
5561	Shocks, GTR composite (assembled) (2) (without springs)	22.00
5460X	Shocks, GTR hard-anodized, Teflon®-coated aluminum bodies with TiN shafts (assembled) (4)	80.00
1666	Silicone shock oil (30 wt)	2.00

Page 3 Jato Parts List

Slipper Clutch Components

5478	Flat wrench, 8mm (blue-anodized aluminum).....	4.00
5552	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring/ pin/ 4.0mm NL)	8.00
2554	Screws, 3x6mm cap-head machine (hex drive) (6)	2.50
5556	Slipper pressure plate & hub (aluminum alloy).....	8.00

Springs

5427	Spring, shock (GTR) (front 0.7 yellow) (1 pair)	5.00
5428	Spring, shock (GTR) (front) (0.9 rate orange) (1 pair)	5.00
5432	Spring, shock (GTR) (front) (1.3 rate gold) (1 pair)	5.00
5429	Spring, shock (GTR) (rear) (1.0 rate tan) (1 pair).....	5.00
5431	Spring, shock (GTR) (rear) (1.2 rate silver) (1 pair)	5.00
5434	Spring, shock (GTR) (rear) (1.6 rate blue) (1 pair)	5.00
5430	Spring, shock (GTR) (std. front) (1.1 rate green) (1 pair).....	5.00
5433	Spring, shock (GTR) (std. rear) (1.4 rate pink) (1 pair)	5.00

Spur Gears & Clutch Belts

4118	Clutch bell, (18-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4609 - ball bearings, 5x10x4mm (2))	12.00
4120	Clutch bell, (20-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2))	12.00
4122	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2))	12.00
4124	Clutch bell, (24-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2)).....	12.00
2554	Screws, 3x6mm cap-head machine (hex drive) (6)	2.50
3956	Spur gear, 54-tooth (0.8 metric pitch).....	3.00
3957	Spur gear, 56-tooth (0.8 metric pitch).....	3.00
3958	Spur gear, 58-tooth (0.8 metric pitch).....	3.00

Steering Components

5123	Bellcrank bushings (plastic) (4x7x2.5mm) (4).....	2.50
5544	Bellcrank posts (steering)(2).....	4.75
5542X	Drag link, machined 6061-T6 aluminum (blue-anodized)/ 5x8x2.5 ball bearing (2)	17.50
5355X	Hollow ball set, aluminum Revo (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2).....	29.50
5545	Servo horn, steering/ linkage, steering (3x30 threaded rod)/ rod ends (2)/ hollow balls (2)	4.00
5545X	Servo horns, steering and throttle (for non-Traxxas servos (Hitec, JR, KO, Airtronics))	6.00
2055	Servo, high-torque	28.00
5543	Steering bellcranks/ servo saver/ servo saver spring/ steering support/ 4x7x2.5 PB (4)/ 5x0.8mm NL (1)	6.00
5542	Steering drag link/ 3x10mm shoulder screws (without threadlock) (2).....	3.50
5594	Turnbuckle, aluminum (red-anodized), camber link, 58mm (1) (assembled with rod ends and hollow balls) (see part 5539X for complete set of Jato aluminum turnbuckles)	7.00
5595	Turnbuckle, aluminum (red-anodized), front toe link, 61mm (1) (assembled with rod ends and hollow balls) (see part 5539X for complete set of Jato aluminum turnbuckles)	7.00
5539X	Turnbuckles, aluminum (red-anodized), camber links, 58mm (4)/ front toe links, 61mm (2) (assembled with rod ends and hollow balls)/ aluminum 5mm wrench (red-anodized)	34.00
5538	Turnbuckles, toe-links, 61mm (front or rear) (2) (assembled with rod ends and hollow balls)	8.50

Suspension Linkage

5529X	Ball studs, aluminum, hard-anodized, Teflon®-coated (4) (use for inner camber link mounting).....	10.00
5355X	Hollow ball set, aluminum Revo (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)	29.50
5525	Rod ends (12)/ hollow balls (12) (fits Jato, includes 4 hollow balls for inner camber link)	9.00
5521	Suspension pin set, complete (hardened steel, front & rear), 3x27mm (4), 3x35mm (2), 3x52mm (4)	8.00
5594	Turnbuckle, aluminum (red-anodized), camber link, 58mm (1) (assembled with rod ends and hollow balls) (see part 5539X for complete set of Jato aluminum turnbuckles)	7.00
5595	Turnbuckle, aluminum (red-anodized), front toe link, 61mm (1) (assembled with rod ends and hollow balls) (see part 5539X for complete set of Jato aluminum turnbuckles)	7.00
5539X	Turnbuckles, aluminum (red-anodized), camber links, 58mm (4)/ front toe links, 61mm (2) (assembled with rod ends and hollow balls)/ aluminum 5mm wrench (red-anodized)	34.00
5539	Turnbuckles, camber links, 58mm (front or rear) (assembled with rod ends and hollow balls) (2)	7.50
5538	Turnbuckles, toe-links, 61mm (front or rear) (2) (assembled with rod ends and hollow balls)	8.50

Team Traxxas Items

2514	Decal sheet, racing sponsors	3.00
9950	Official Team Traxxas racing decal set(flag logo/ 6-color).....	4.50
9909	Traxxas racing banner, red & black (3x7 feet).....	15.00

Throttle & Brake Linkage

5588	Brake cam.....	3.50
5567	Brake cam lever/ linkage rod/ bellcrank/ 4mm Ball Screw (1)/ 4mm Ball Cup (1)/ 3.0NL (1)/ 3X10 SS (1).....	4.25
5568	Linkage set, throttle & brake (Jato) (includes servo horn, rod guides, brake spring, brake adjustment dial, rods (wires), throttle return spring, hardware)	9.00
5545X	Servo horns, steering and throttle (for non-Traxxas servos (Hitec, JR, KO, Airtronics)).....	6.00
4056	Spring, throttle return (2) (Jato)	2.25

Tires & Wheels

4607	Ball bearings (5x11x4mm) (8)	24.00
4611	Ball bearings (5x11x4mm) (2)	6.00
1747X	Blue-anodized, aluminum flanged lock nuts (4mm).....	5.00
1974	Lite-wheels, dished (2) (front) (for 2.2" tires).....	5.00
1972	Lite-wheels, dished (2) (rear) (for 2.2" tires)	5.00
1747	Nuts, 4mm nylon locking (10)	2.00
5149	Spacers, steel (Jato Twin-Spoke™ wheels, front) (4).....	2.75
2754	Stub axle pins (4)	1.00
5577R	Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda™ tires, foam inserts) (front) (1 Left, 1 Right)	32.00
5576R	Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda tires, foam inserts) (rear) (1 Left, 1 Right).....	32.00
5575	Tires & wheels, assembled, glued (Jato Twin-Spoke wheels, Victory™ tires, foam inserts) (front) (2)	28.00
5573	Tires & wheels, assembled, glued (Jato Twin-Spoke wheels, Victory tires, foam inserts) (rear) (2).....	28.00
5578	Tires, Anaconda 2.8" (2)/ foam inserts (2)	20.00
4780R	Tires, Pro-Trax™ ribbed 2.2 (soft-compound)(front) (2)/ foam inserts (2)	17.50
4790R	Tires, Pro-Trax spiked 2.2 (soft-compound)(rear) (2)/ foam inserts (2)	17.50
5571	Tires, Victory 2.8" (front) (2)/ foam inserts (2)	17.50
5570	Tires, Victory 2.8" (rear) (2)/ foam inserts (2)	17.50
4174	TRX Pro-Star™ chrome wheels (2) (front) (for 2.2" tires)	7.00
4172	TRX Pro-Star chrome wheels (2) (rear) (for 2.2" tires)	7.00
1654	Wheel hubs, hex (2)/ stub axle pins (2)	2.00
1654X	Wheel hubs, hex (blue-anodized, light-weight aluminum) (2)/ axle pins(2)	9.00
5577	Wheels, 2.8" (chrome) (front) (2)	8.00
5576	Wheels, 2.8" (chrome) (rear) (2)	8.00
5574	Wheels, Jato Twin-Spoke 2.8" (chrome) (front) (2)	8.00
5572	Wheels, Jato Twin-Spoke 2.8" (chrome) (rear) (2)	8.00

Transmission Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	7.00
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3.50
5592	Clutch guard	2.00
5581	Gaskets, differential/transmission	1.50
5585	Gear set, 2-speed (2nd speed gear, 29T/ input gear, 17T steel)	7.00
5586	Gear, 1st speed 32T/ input gear 14T	5.00
5591	Gearbox halves (right & left).....	5.00
5566	Input shaft (slipper shaft)/ slipper shaft spacer.....	6.00
5593	Primary shaft/ 1st speed hub/one-way bearing/ snap ring/ 5x8x0.5 TW	26.00
5583	Rubber plugs, charge jack, 2-speed adjustment (Jato)	1.50
5593X	Single speed conversion kit (eliminates the 2-speed, makes Jato race legal).....	10.00

Turnbuckles & Threaded rods

5477	Flat wrench, 5mm (blue-anodized aluminum).....	4.00
5545	Servo horn, steering/ linkage, steering (3x30 threaded rod)/ rod ends (2)/ hollow balls (2)	4.00
5594	Turnbuckle, aluminum (red-anodized), camber link, 58mm (1) (assembled with rod ends and hollow balls) (see part 5539X for complete set of Jato aluminum turnbuckles)	7.00
5595	Turnbuckle, aluminum (red-anodized), front toe link, 61mm (1) (assembled with rod ends and hollow balls) (see part 5539X for complete set of Jato aluminum turnbuckles)	7.00
5539X	Turnbuckles, aluminum (red-anodized), camber links, 58mm (4)/ front toe links, 61mm (2) (assembled with rod ends and hollow balls)/ aluminum 5mm wrench (red-anodized)	34.00
5539	Turnbuckles, camber links, 58mm (front or rear) (assembled with rod ends and hollow balls) (2)	7.50
5538	Turnbuckles, toe-links, 61mm (front or rear) (2) (assembled with rod ends and hollow balls)	8.50

Two-Speed Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	7.00
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3.50
5585	Gear set, 2-speed (2nd speed gear, 29T/ input gear, 17T steel)	7.00
5586	Gear, 1st speed 32T/ input gear 14T	5.00
5590	Primary clutch assembly (2-speed shift hub)	14.50
5583	Rubber plugs, charge jack, 2-speed adjustment (Jato)	1.50

See Radio System parts list for electronic components.

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-265-8000, or fax to 972-265-8011 e-mail Traxxas at support@Traxxas.com

WWW.TRAXXAS.COM

Prices are in US Dollars